



Safety Data Sheet

【1】 PRODUCT AND COMPANY INFORMATION

Product name Egg(Ovalbumin) ELISA Kit
Casein ELISA Kit
Wheat/Gluten(Gliadin) ELISA Kit
Peanut ELISA Kit

Manufacturer's name Morinaga BioScience, Inc.
Address 2-1-1 Shimosueyoshi, Tsurumi-ku, Yokohama-shi, 230-8504, Japan
Section Quality assurance department
Telephone +81-45-586-2514
Fax +81-45-586-2517
SDS No. GHS-SA-11

【2】 HAZARDS IDENTIFICATION

kit contains mixtures of hazardous and non-hazardous substances. Below are materials identified as potentially hazardous.

(1) Sodium lauryl sulfate, water

Human health hazard

Serious eye damage · Eye irritation : Category 2B

Specific target organ systemic toxicity (single exposure) : Category 3

Specific target organ systemic toxicity (repeated exposure) : Category 2

Environmental hazard

Hazardous to the aquatic environment (acute hazard) : Category 3

Pictogram or symbol



Signal word : danger

Hazard statement : Causes serious eyes irritation.
May cause respiratory irritation
May cause damage to organs(kidney) through prolonged or repeated exposure.
Harmful to an aquatic life.

Cautions

Safety measures : Wear appropriate protective gloves, glasses, clothing, face shield, or mask.

: Wash protective equipment thoroughly after use.

First-aid measures : If in eyes: Rinse cautiously with water for several minutes.

Get medical treatment

: If on skins: Remove contaminated clothing and the substance.

Rinse cautiously with water. Immediately get medical treatment.



(2) Sulfuric acid

Human health hazard

Skin corrosion · Irritation : Category 1A

Serious eye damage · Eye irritation : Category 1

Specific target organ systemic toxicity (single exposure) : Category 1

Specific target organ systemic toxicity (repeated exposure)	:	Category 1
Pictogram or symbol	:	 
Signal word	:	Danger
Hazard statement	:	Causes severe skin burns and eye damage. Causes serious eye damage. Causes damage to organs (respiratory organs) Cause damage to organs (respiratory organs) through prolonged or repeated exposure.
Cautions	:	
Safety measures	:	Do not breathe dust, mist, and vapor. Do not eat, drink, or smoke when using this product. Wear appropriate protective gloves, glasses, clothing, face shield, or mask. Wash protective equipment thoroughly after use.
First-aid measures	:	If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If swallowed: Rinse mouth, do not induce vomiting. Immediately get medical treatment. If in eyes: Rinse cautiously with water for several minutes. Get medical treatment If on skins: Remove contaminated clothing and the substance. Rinse cautiously with water. Immediately get medical treatment. Wash hands thoroughly after use.

【3】 COMPOSITION/INFORMATION ON INGREDIENTS

- (1) Sodium lauryl sulfate, water
- | | | |
|----------------------------------|---|--|
| Substance/Mixture | : | Substance |
| Chemical name or commercial name | : | Sodium n-dodecyl sulfate |
| Synonyms | : | Sodium lauryl sulfate |
| Ingredients and composition | : | Sodium lauryl sulfate, water solution. The content is not disclosed |
| Formula | : | CH ₃ (CH ₂) ₁₀ CH ₂ OSO ₃ Na |
| CAS-No. | : | 151-21-3 |
| TSCA Inventory | : | Registered |
| EINECS | : | 2057881 |
- (2) Sulfuric acid
- | | | |
|-------------------------------------|---|---|
| Substance/Mixture | : | Substance |
| Chemical name or commercial name | : | Sulfuric acid |
| Ingredients and composition | : | Water solution contains 0.5mol/L sulfuric acid. |
| Formula | : | H ₂ SO ₄ |
| CAS-No. | : | 7664-93-9 |
| TSCA Inventory | : | Registered |
| EINECS | : | 2316395 |
| Dangerous and hazardous ingredients | : | sulfuric acid |

【4】 FIRST AID MEASURES

- (1) Sodium lauryl sulfate, water
- | | | |
|------------|---|--|
| Inhalation | : | Remove the victim to fresh air. Blow nose and gargle |
|------------|---|--|

Skin contact : Wash the affected areas under running water.
 Eye contact : Wash the affected areas under running water.
 Ingestion : Give the victim one or two glasses of water or saline and induce vomiting. Get medical treatment.

(2) Sulfuric acid
 Inhalation : Remove the victim to fresh air, and keep him warm.
 Skin contact : Wash the affected areas under running water.
 Eye contact : Wash the affected areas under running water.
 Ingestion : Give the victim one or two glasses of water or milk with egg white. Do not induce vomiting. Get medical treatment.
 Anticipated acute and delayed symptoms. : If inhaled sulfuric acid mist, cause throat ache, cough, and shortness of breath.
 : If contacted skin, cause redness, ache, blister, and burn.

【5】 FIRE-FIGHTING MEASURES

Extinguishing media : This product is noncombustible.
 Prohibited extinguishing media : None
 Particular fire fighting : Move containers from fire area if it can be done without risk, if not possible, apply water from a safe distance to cool and protect surrounding area.
 Protection for firefighters : Firefighters should wear protective equipment.

【6】 ACCIDENTAL RELEASE MEASURES

(1) Sodium lauryl sulfate, water
 Cautions for personnel : Wear proper equipment and avoid contact with skin and inhalation of vapor.
 Cautions for environmental : Attention should be given not to cause damage to the environment by flowing of spillage to rivers.
 : In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater.
 Removal measures : Absorb spill with paper or cloth.
 : Wash thoroughly with water
 (2) Sulfuric acid
 Cautions for personnel : Wear proper equipment and avoid contact with skin and inhalation of vapor.
 Cautions for environmental : Attention should be given not to cause damage to the environment by flowing of spillage to rivers.
 : In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater.
 Removal measures : Absorb spill with paper or cloth.
 : Wash thoroughly with water
 Prevention of second accident : Do not contact with organic substances or combustible substances.

【7】 HANDLING AND STORAGE

Handling
 Engineering measures : Wear proper protective equipment not to contact with skin or : Handle not to generate aerosol or vapor.
 Cautions for safety handling : Use with an enclosed system or a local exhaust ventilation
 Storage
 Adequate storage condition : Store in a dark, cool place and tightly closed.
 Safety adequate container : Glass, polyethylene, polypropylene materials

【8】 EXPOSURE CONTROL/PERSONAL PROTECTION

(1) Sodium lauryl sulfate, water
 Engineering measures : Use only with adequate ventilation and in closed systems.
 Control parameters
 ACGIH(2009) : Not applicable

Protective equipment
 Respiration protective equipment : Not necessary
 Hands protective equipment : Impervious protective gloves
 Eyes protective equipment : Safety goggles

- (2) Sulfuric acid
 Engineering measures : Use only with adequate ventilation and in closed systems.
 Control parameters
 ACGIH(2009) : 0.2mg/m³ (TLV-TWA)
 Protective equipment
 Respiration protective equipment : If necessary, wear a chemical cartridge respirator with acidic grass.
 Hands protective equipment : Impervious protective gloves
 Eyes protective equipment : Safety goggles

【9】 PHYSICAL AND CHEMICAL PROPERTIES

- (1) Sodium lauryl sulfate, water
 Appearance : Liquid
 Color : Colorless
 Odor : Odorless
 pH : 7.0-9.0
 Boiling point : Not Available
 Melting point : Not Available
 Flash point : Noncombustible
 Specific gravity : Approx. 1.0 g/mL
 Solubility : Water: Freely soluble

- (2) Sulfuric acid
 Appearance : Liquid
 Color : Colorless
 Odor : Odorless
 pH : Strong acidity
 Boiling point : Approx. 100°C
 Melting point : Approx. -2°C
 Flash point : Noncombustible
 vapor density : 3.4
 Specific gravity : 1.030g/ml (20°C)
 Solubility : Water: Freely soluble

【10】 STABILITY AND REACTIVITY

- (1) Sodium lauryl sulfate, water
 Stability : Stable under normal usage
 Reactivity : May react with strong oxidizing substances.
 Incompatible conditions : Light, heat
 Incompatible materials : Oxidizing substances
 Hazardous decomposition products : Toxic fumes of sulfur oxides (Sox), carbon monoxide
- (2) Sulfuric acid
 Stability : Stable under normal usage
 Reactivity : May react with alkaline substances.
 Incompatible conditions : Light, heat
 Incompatible material : Alkaline substances
 Hazardous decomposition products : Sulfur oxides

【11】 TOXICOLOGICAL INFORMATION

- (1) Sodium lauryl sulfate, water
 Acute toxicity, Oral : Out of category
 Acute toxicity, Dermal : Out of category
 Inhalation (gas) : Not possible to classify because of insufficient data

Inhalation (dust, mist)	: Not possible to classify because of insufficient data : If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate)
Skin corrosiveness	: Out of category
Irritation to skin, eyes	: Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B.
Respiratory sensitization or skin sensitization	
Respiratory sensitization	: Not possible to classify because of insufficient data
Skin sensitization	: Not possible to classify because of insufficient data
Mutagenicity	: Out of category
Carcinogenic effects	: Not possible to classify because of insufficient data
Effects on the reproductive system	: Not possible to classify because of insufficient data
Specific target organ systemic toxicity(Single exposure)	: Causes stimulation to respiratory organs.(Category 3) Based on descriptions that respiratory tract irritation is seen by aerosol exposure in mouse, a rabbit, and agonies pig and that respiratory tract irritation is seen by short terms exposure, it was classified into category 3.
Specific target organ systemic toxicity(repeated exposure)	: May cause damage to organs(kidney) through prolonged ore repeated exposure(category 2) It is Witten that there were vacuolar degeneration of kidney tubular epithelial cells, and atrophic of kidney glomerulus. Since these symptoms were found within the scope of the guidance value of Category2, it was classified into category 2(kidney).
Aspiration hazard	: Not possible to classify because of insufficient data
(2) Sulfuric acid	
Acute toxicity, Oral	Out of category
Acute toxicity, Dermal	Not possible to classify because of insufficient data
Inhalation (vapor)	: Not possible to classify because of insufficient data
Inhalation (dust, mist)	: Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value)
Skin corrosiveness	: Causes severe skin burns. (Category1A)
Irritation to skin, eyes	: Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye
Respiratory sensitization or skin sensitization	
Respiratory sensitization	: Not possible to classify because of insufficient data
Skin sensitization	: Out of category Sulfuric acid has no human skin sensitization.
Mutagenicity	: Not possible to classify because of insufficient data
Carcinogenic effects	: Not possible to classify because of insufficient data
Effects on the reproductive system	: Out of category Inhalation studies of sulfuric acid of sulfuric acid of rabbits and mice during the period of embryo organogenesis, the dose that does not recognized toxicity on dams appears no embryo toxicity and tetraagenicity on both species. As the main toxicity is direct irritation and corrosion on the local tissue, there is no concern of reproductive toxicity.
Specific target organ systemic toxicity(Single exposure)	: Cause damage to organs (respiratory organs) (category 1) In inhalation studies of sulfuric acid of human in the low concentration, irritation symptoms of respiratory tract like cough, shortness of breath are recognized. In the high concentration, acute effects like cough, shortness of breath, bloodstained sputum evacuation and continuing effects like decreased function of lungs, emphysema are recognized. In inhalation studies of guinea pig for eight hours, lung bleeding and dysfunction are recognized.

Specific target organ systemic toxicity(repeated exposure)

: Cause damage to organs (respiratory organs) through prolonged or repeated exposure. (category 1)

In inhalation studies of sulfuric acid of rats for 28 days, at the guidance concentration range of category 1, cell growth on pharyngeal mucosa is recognized. In repeated inhalation studies of guinea pig, in the same concentration, respiratory tract and lung disorder are recognized. In inhalation, studies of cynomolgus monkeys for 78 weeks, at the guidance concentration range of category 1, histological alteration like hyperplastic cell on bronchiole, thickened lung wall are recognized.

Aspiration hazard

: Not possible to classify because of insufficient data

【12】 ECOLOGICAL INFORMATION

(1) Sodium lauryl sulfate, water

Eco toxicity

Fish toxicity

Acute aquatic toxicity : Category3 American Lobster LC50=0.72mg/L/96H

Chronic aquatic toxicity : Not possible to classify because of insufficient data

(2) Sulfuric acid

Eco toxicity

Fish toxicity

Acute aquatic toxicity : Not possible to classify because of insufficient data

Chronic aquatic toxicity : Not possible to classify because of insufficient data

【13】 DISPOSAL CONSIDERATIONS

(1) Sodium lauryl sulfate, water

Residual disposal

: Dilute with copious water and adjust the pH of the solution. After that, flush in drains.

Containers

: Or entrust approved waste disposal companies with the disposal
: In case of disposal of empty bottles, dispose bottles after removing the content thoroughly.

(2) Sulfuric acid

Residual disposal

: Add the chemical gradually in alkaline water solution like calcium hydroxide, sodium carbonate to neutralized and flush in a drain with a large amount of water.

Containers

: Or entrust approved waste disposal companies with the disposal
: In case of disposal of empty bottles, dispose bottles after removing the content thoroughly.

【14】 TRANSPORT INFORMATION

UN class

: Not applicable

UN-Number:

: Not applicable

【15】 REGULATORY INFORMATION

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

【16】 OTHER INFORMATION

References

: Kyoritsu Shuppan Co., Ltd.

The information contained herein is based on several references and the present state of our knowledge. However, the MSDS does not always cover all information about the product, handle the product carefully. The information is intended to ordinary usage, in case of particular handlings, conduct appropriate safety measurements. The information herein is only provision of information, and it does not represent a guarantee the properties of the product