

Prepared date : 7 Feburary 2017 Revised date : 1 September 2024

1/4

Safety Data Sheet

Product name	Reagent A (10X Concentrate)	
Manufacturer's name	Morinaga BioScience, Inc.	
Address	2-1-1 Shimosueyoshi, Tsurumi-ku,Yokohama-shi, 230-8504, Japan	
Section	Quality assurance department	
Telephone	+81-45-586-2514	
Fax	+81-45-586-2517	
SDS No.	GHS-SR-11	
HAZARDS IDENTIFICA	τιον	
Human health hazard		
Initation	ge • Eye : Category 2B	
Specific target org		
systemic toxicity (single exposure)	Category 3	
Specific target org	ian '	
systemic toxicity (
Environmental hazard		
Hazardous to the	aquatic :	
environment (acut	· Catagory 3	
Pictogram or symbol		
	$\wedge \wedge$	
Signal word	: danger	
Hazard statement	: Causes serious eyes irritation.	
	May cause respiratory irritation	
	May cause damage to organs(kidney) through prolonged or repeated exposure.	
	Harmful to an aquatic life.	
Cautions		
Safety measures	 Wear appropriate protective gloves, glasses, clothing, face shield, or mask. 	
	Wash protective equipment thoroughly after use.	
First-aid measures	[:] If in eyes: Rinse cautiously with water for several minutes.	
	Get medical treatment	
	 If on skins: Remove contaminated clothing and the substance. Rinse cautiously with water. Immediately get medica treatment. 	
	Rinse cautiously with water. Immediately get medica treatment.	

[3] COMPOSITION/INFORMATION	
Substance/Mixture	: Substance
Chemical name or commercial	: Sodium n-dodecyl sulfate
name	Bodiam maddeeyr Sanate
Synonyms	Sodium lauryl sulfate
Ingredients and composition	: Sodium lauryl sulfate, water solution. The content is not disclosed
Formula	: CH3(CH2)10CH2OSO3Na
CAS-No.	: 151-21-3
TSCA Inventory	: Registered
EINECS	2057881
[4] FIRST AID MEASURES	
Inhalation	: Remove the victim to fresh air. Blow nose and gargle
Skin contact	Wash the affected areas under running water.
Eye contact	Wash the affected areas under running water.
Ingestion	: Give the victim one or two glasses of water or saline and
IIIgestion	induce vomiting. Get medical treatment.
[5] FIRE-FIGHTING MEASURES	
Extinguishing media	: This product is noncombustible.
C C	: None
Prohibited extinguishing media	
Particular fire fighting	: Move containers from fire area if it can be done without risk, if
	not possible, apply water from a safe distance to cool and
	protect surrounding area.
Protection for firefighters	Firefighters should wear protective equipment.
-	
	IRES
[6] ACCIDENTAL RELEASE MEASU	
	: Wear proper equipment and avoid contact with skin and
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel	 Wear proper equipment and avoid contact with skin and inhalation of vapor.
[6] ACCIDENTAL RELEASE MEASU	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers.
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater.
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth.
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater.
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth.
 [6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE 	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth.
 [6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE Handling 	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water
 [6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE 	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water
 [6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE Handling 	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water
 [6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE Handling Engineering measures 	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water Wear proper protective equipment not to contact with skin or inhale the vapor. Handle not to generate aerosol or vapor.
 [6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE Handling 	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE Handling Engineering measures Cautions for safety handling	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water Wear proper protective equipment not to contact with skin or inhale the vapor. Handle not to generate aerosol or vapor.
 [6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE Handling Engineering measures Cautions for safety handling Storage 	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water Wear proper protective equipment not to contact with skin or inhale the vapor. Handle not to generate aerosol or vapor. Use with an enclosed system or a local exhaust ventilation.
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE Handling Engineering measures Cautions for safety handling Storage Adequate storage condition	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water Wear proper protective equipment not to contact with skin or inhale the vapor. Handle not to generate aerosol or vapor. Use with an enclosed system or a local exhaust ventilation.
 [6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE Handling Engineering measures Cautions for safety handling Storage 	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water Wear proper protective equipment not to contact with skin or inhale the vapor. Handle not to generate aerosol or vapor. Use with an enclosed system or a local exhaust ventilation. Store in a dark, cool place and tightly closed.
[6] ACCIDENTAL RELEASE MEASU Cautions for personnel Cautions for environmental Removal measures [7] HANDLING AND STORAGE Handling Engineering measures Cautions for safety handling Storage Adequate storage condition	 Wear proper equipment and avoid contact with skin and inhalation of vapor. Attention should be given not to cause damage to the environment by flowing of spillage to rivers. In case of the dilution of copious water, do not cause damage to the environment by untreated wastewater. Absorb spill with paper or cloth. Wash thoroughly with water Wear proper protective equipment not to contact with skin or inhale the vapor. Handle not to generate aerosol or vapor. Use with an enclosed system or a local exhaust ventilation.

[8] EXPOSURE CONTROL/PERSONAL PROTECTION			
Engineering measures	: Use only with adequate ventilation and in closed systems.		
Control parameters			
ACGIH(2009)	: Not applicable		
Protective equipment			
Respiration protective equipment			
······································	: Not necessary		
Hands protective equipment	: Impervious protective gloves		
Eyes protective equipment	: Safety goggles		
[9] PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	: Liquid		
Color	: Colorless		
Odor	: Odorless		
pH Dailiann aint	: 7.0-9.0		
Boiling point	Not Available		
Melting point	Not Available		
Flash point	: Noncombustible		
Specific gravity	: Approx. 1.0 g/mL		
Solubility	: Water: Freely soluble		
[10] STABILITY AND REACTIVITY			
Stability	: Stable under normal usage		
Reactivity	May react with strong oxidizing substances.		
Incompatible conditions	: Light, heat		
	: Oxidizing substances		
Incompatible materials	-		
Incompatible materials Hazardous decomposition proc	lucts		
·	-		
Hazardous decomposition proc	lucts : Toxic fumes of sulfur oxides (Sox), carbon monoxide		
Hazardous decomposition proc	ducts : Toxic fumes of sulfur oxides (Sox), carbon monoxide N		
Hazardous decomposition proc [11] TOXICOLOGICAL INFORMATIC Acute toxicity, Oral	ducts : Toxic fumes of sulfur oxides (Sox), carbon monoxide N : Out of category		
Hazardous decomposition proc [11] TOXICOLOGICAL INFORMATIC Acute toxicity, Oral Acute toxicity, Dermal	ducts : Toxic fumes of sulfur oxides (Sox), carbon monoxide N : Out of category : Out of category		
Hazardous decomposition proc [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas)	ducts : Toxic fumes of sulfur oxides (Sox), carbon monoxide N : Out of category		
Hazardous decomposition proc [11] TOXICOLOGICAL INFORMATIC Acute toxicity, Oral Acute toxicity, Dermal	ducts : Toxic fumes of sulfur oxides (Sox), carbon monoxide N : Out of category : Out of category		
Hazardous decomposition proc [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas)	 ducts Toxic fumes of sulfur oxides (Sox), carbon monoxide N Out of category Out of category Not possible to classify because of insufficient data 		
Hazardous decomposition proc [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas)	 ducts Toxic fumes of sulfur oxides (Sox), carbon monoxide NN Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data 		
Hazardous decomposition proc [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas)	 ducts Toxic fumes of sulfur oxides (Sox), carbon monoxide N Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. 		
Hazardous decomposition proc [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas)	 ducts Toxic fumes of sulfur oxides (Sox), carbon monoxide NN Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) 		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness	 ducts Toxic fumes of sulfur oxides (Sox), carbon monoxide NN Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category 		
Hazardous decomposition proc [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist)	 ducts Toxic fumes of sulfur oxides (Sox), carbon monoxide NN Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) 		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness	 ducts Toxic fumes of sulfur oxides (Sox), carbon monoxide NN Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category 		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness	Aucts Toxic fumes of sulfur oxides (Sox), carbon monoxide N Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B.		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or ski	Aucts Toxic fumes of sulfur oxides (Sox), carbon monoxide N OUT of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. n sensitization		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or ski Respiratory sensitization	Aucts Toxic fumes of sulfur oxides (Sox), carbon monoxide N Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. n sensitization Not possible to classify because of insufficient data		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or ski Respiratory sensitization Skin sensitization	 Toxic fumes of sulfur oxides (Sox), carbon monoxide Toxic fumes of sulfur oxides (Sox), carbon monoxide Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. n sensitization Not possible to classify because of insufficient data Not possible to classify because of insufficient data 		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or ski Respiratory sensitization Skin sensitization Mutagenicity	 Toxic fumes of sulfur oxides (Sox), carbon monoxide Toxic fumes of sulfur oxides (Sox), carbon monoxide N Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. n sensitization Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category 		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skit Respiratory sensitization Skin sensitization Mutagenicity Carcinogenic effects	 Toxic fumes of sulfur oxides (Sox), carbon monoxide Toxic fumes of sulfur oxides (Sox), carbon monoxide N Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. n sensitization Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data 		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or ski Respiratory sensitization Skin sensitization Mutagenicity	 Toxic fumes of sulfur oxides (Sox), carbon monoxide Toxic fumes of sulfur oxides (Sox), carbon monoxide N Out of category Out of category Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. n sensitization Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data 		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skit Respiratory sensitization Skin sensitization Mutagenicity Carcinogenic effects Effects on the reproductive system	 toxic fumes of sulfur oxides (Sox), carbon monoxide Toxic fumes of sulfur oxides (Sox), carbon monoxide N Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. n sensitization Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data 		
Hazardous decomposition prod [11] TOXICOLOGICAL INFORMATIO Acute toxicity, Oral Acute toxicity, Dermal Inhalation (gas) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skit Respiratory sensitization Skin sensitization Mutagenicity Carcinogenic effects	 toxic fumes of sulfur oxides (Sox), carbon monoxide Toxic fumes of sulfur oxides (Sox), carbon monoxide N Out of category Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data If swallowed, may cause nausea, vomiting, abdominal pain. Rat oral LD50=1290mg/kg (as sodium lauryl sulfate) Rat intraperitoneal LD50=210mg/kg (as sodium lauryl sulfate) Out of category Causes serious eyes irritation.(Category 2B) Since cause moderate irritation to the eyes of rabbit, it was classified into category 2B. n sensitization Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data Out of category Not possible to classify because of insufficient data 		

		Based on descriptions that respiratory tract irritation is seen by aerosol exposure in mouse, a rabbit, and agonies pig and that respiratory tract irritation is seen by short terms exposure, it was classified into category 3.	
	Specific target organ systemic tox	icity(repeated exposure)	
	:	May cause damage to organs(kidney) through prolonged ore repeated exposure(category 2)	
		It is written that there were vacuolar degeneration of kidney tubular epithelial cells, and atrophic of kidney glomerulus. Since these symptoms were found within the scope of the guidance value of Category2, it was classified into category 2(kidney).	
	Aspiration hazard :	Not possible to classify because of insufficient data.	
	COLOGICAL INFORMATION		
	Ecotoxicity		
	Fish toxicity		
		Category3 American Lobster LC50=0.72mg/L/96H	
	Chronic aquatic toxicity :	Not possible to classify because of insufficient data	
[13] 10	SPOSAL CONSIDERATIONS		
		Dilute with copious water and adjust the pH of the solution.	
		After that, flush in drains.	
	:	Or entrust approved waste disposal companies with the disposal.	
		In case of disposal of empty bottles, dispose bottles after	
		removing the content thoroughly.	
	RANSPORT INFORMATION		
		Not applicable	
	UN-Number: :	Not applicable	
	EGULATORY INFORMATION	e with federal requirements and ensure conformity to local	
	regulations.		
	regulations.		
【16】	OTHER INFORMATION		
		Encyclopedia Chemical, Kyoritsu Shuppan Co., Ltd.	
	The information contained herein is b	pased on several references and the present state of our knowledge.	
		over all information about the product, handle the product carefully.	
	-	ry usage, in case of particular handlings, conduct	
:	appropriate safety measurements. The information herein is only provision of information , and it does		
I	not represent a guarantee the properties of the product		