

1/4



Safety Data Sheet

【1】 P	PRODUCT AND COMPANY INFORMATION				
	Product name	Morinaga Ultra sensitive Mouse Insulin ELISA Kit			
		Morinaga Ultra sensitive Rat Insulin ELISA Kit			
[2] H	Manufacturer's name Address Section Telephone Fax SDS No. AZARDS IDENTIFICAT	2-1-1 Shimosueyoshi, Tsurumi-ku,Yokohama-shi, 230-8504, Japan Quality assurance department +81-45-586-2514 +81-45-586-2517 GHS-UI-11			
ki po		azardous and non-hazardous substances. Below are materials identified as rritation : Category 1A age • Eye : Category 1			
	exposure)	repeated : Category 1			
	Pictogram or symbo				
	Signal word Hazard statement	 Causes serious eye damage. Causes damage to organs (respiratory organs) Cause damage to organs (respiratory organs) through 			
	Cautions	prolonged or repeated exposure.			
	Safety measures	 Do not breathe dust, mist, and vapor. Do not eat, drink, or smoke when using this product. Wear appropriate protective gloves, glasses, clothing, face shield, or mask. Wash protective equipment thoroughly after use. 			
	First-aid measure				

3 COMPOSITION/INFORMATION ON	INGREDIENTS
(1) Sulfuric acid	
Substance/Mixture	: Substance
Chemical name or commercial a name	Sulfuric acid
Ingredients and composition	: Water solution contains 0.5mol/L sulfuric acid.
	: H2SO4
	7664-93-9
TSCA Inventory	Registered
EINECS Dangerous and hazardous	2316395
ingredients	sulfuric acid
4】FIRST AID MEASURES	
(1) Sulfuric acid	
	Remove the victim to fresh air, and keep him warm.
	Wash the affected areas under running water.
	Wash the affected areas under running water.
Ingestion	Give the victim one or two glasses of water or milk with egg white. Do not induce vomiting. Get medical treatment.
	If inhaled sulfuric acid mist, cause throat ache, cough, and
symptoms.	shortness of breath. If contacted skin, cause redness, ache, blister, and burn.
5] FIRE-FIGHTING MEASURES	
Extinguishing media	: This product is noncombustible.
	None
	Move containers from fire area if it can be done without risk,
Particular fire fighting	if not possible, apply water from a safe distance to cool and
	protect surrounding area.
Protection for firefighters	: Firefighters should wear protective equipment.
6] ACCIDENTAL RELEASE MEASURE	ES
(1) Sulfuric acid	
Cautions for personnel	Wear proper equipment and avoid contact with skin and inhalation of vapor.
Cautions for environmental	Attention should be given not to cause damage to the
	environment by flowing of spillage to rivers.
:	In case of the dilution of copious water, do not cause
	damage to the environment by untreated wastewater.
Removal measures	Absorb spill with paper or cloth.
:	Wash thoroughly with water
Prevention of second accident	Do not contact with organic substances or combustible substances.
7 HANDLING AND STORAGE	
Handling	
	Wear proper protective equipment not to contact with skin or Handle not to generate aerosol or vapor.
	Use with an enclosed system or a local exhaust ventilation.
Storage	•
Adequate storage condition	: Store in a dark, cool place and tightly closed.
Safety adequate container	Glass, polyethylene, polypropylene

ONTROL/PERSONAL PROTECTION **SI EXPOSURE**

(1) Sulfuric acid

- Engineering measures : Use only with adequate ventilation and in closed systems.

Control parameters ACGIH(2009) Protective equipment	: 0.2mg/m3 (TLV-TWA)
Respiration protective equipm	
• • •	 If necessary, wear a chemical cartridge respirator with acidic grass. Impervious protective gloves Safety goggles
[9] PHYSICAL AND CHEMICAL PROP	ERTIES
(1) Sulfuric acid	
Appearance	: Liquid
Color	: Colorless
Odor	: Odorless
pH	: Strong acidity
Boiling point	: Approx. 100°C
Melting point	: Approx2°C
Flash point vapor density	: Noncombustible : 3.4
Specific gravity	: 1.030g/ml (20°C)
Solubility	: Water: Freely soluble
(10) STABILITY AND REACTIVITY	
(1) Sulfuric acid	. Stable under normal usage
Stability Reportivity	: Stable under normal usage
Reactivity	: May react with alkaline substances.
Incompatible conditions Incompatible material	: Light, heat : Alkaline substances
Hazardous decomposition	
	¹ Sulfur oxides
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor)	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value)
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor)	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist)	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value)
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation or rabbit
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation on rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes.
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation on rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes.
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin Respiratory sensitization	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation or rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes. sensitization Not possible to classify because of insufficient data
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation or rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes. sensitization Not possible to classify because of insufficient data Out of category
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin Respiratory sensitization Skin sensitization	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation or rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes. sensitization Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization.
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin Respiratory sensitization Skin sensitization Mutagenicity	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation or rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes. sensitization Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Not possible to classify because of insufficient data
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin Respiratory sensitization Skin sensitization Mutagenicity Carcinogenic effects	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation on rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes. sensitization Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Not possible to classify because of insufficient data Not possible to classify because of insufficient data
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin Respiratory sensitization Kutagenicity Carcinogenic effects Effects on the reproductive system	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation or rabbit eyes. sensitization Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Yot possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Yot possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Yot possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization.
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin Respiratory sensitization or skin Respiratory sensitization Skin sensitization Mutagenicity Carcinogenic effects Effects on the reproductive syste Specific target organ systemic to	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation or rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes. sensitization Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Ot possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Out of category Sulfuric exposure) Cause damage to organs (respiratory organs) (category 1)
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin Respiratory sensitization Kutagenicity Carcinogenic effects Effects on the reproductive system	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation or rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes. sensitization Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Out of category Out of category Sulfuric exposure) Cause damage to organs (respiratory organs) (category 1) Dixicity(repeated exposure) Cause damage to organs (respiratory organs) through
products [11] TOXICOLOGICAL INFORMATION (1) Sulfuric acid Acute toxicity, Oral Acute toxicity, Dermal Inhalation (vapor) Inhalation (dust, mist) Skin corrosiveness Irritation to skin, eyes Respiratory sensitization or skin Respiratory sensitization or skin Respiratory sensitization Skin sensitization Mutagenicity Carcinogenic effects Effects on the reproductive syste Specific target organ systemic to	 Out of category Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Rat oral LD50=44580mg/kg (as calculated value) Rat inhalation LC50=7230ppm/l/4H (as calculated value) Causes severe skin burns. (Category1A) Causes serious eye damage. (Category1) In case of human accident of sulfuric acid, severe eye damage with lysed anterior chamber of the eyes was recognized. 5% solutions caused mild irritation or rabbit eyes, and 10% solutions caused severe irritation on rabbit eyes. sensitization Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Not possible to classify because of insufficient data Not possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Yot possible to classify because of insufficient data Out of category Sulfuric acid has no human skin sensitization. Yot possible to classify because of insufficient data Tot possible to classify because of insufficient data Tot possible to classify because of insufficient data Cut of category Sulfuric acid has no human skin sensitization. Cut of category Sulfuric exposure) Cause damage to organs (respiratory organs) (category 1) Dixicity(repeated exposure)

[12] ECOLOGICAL INFORMATION (1) Sulfuric acid Ecotoxicity Fish toxicity Acute aquatic toxicity Chronic aquatic toxicity	 Not possible to classify because of insufficient data Not possible to classify because of insufficient data
[13] DISPOSAL CONSIDERATIONS (1) Sulfuric acid	
Residual disposal	Add the chemical gradually in alkaline water solution like : calcium hydroxide, sodium carbonate to neutralized and flush in a drain with a large amount of water.
Containers	 Or entrust approved waste disposal companies with the disposal In case of disposal of empty bottles, dispose bottles after removing the content thoroughly.
[14] TRANSPORT INFORMATION	
UN class	: Not applicable
UN-Number:	: Not applicable
[15] REGULATORY INFORMATION Ensure this material in complia regulations.	ance with federal requirements and ensure conformity to local
[16] OTHER INFORMATION	
References	: Encyclopaedia Chemica, Kyoritsu Shuppan Co., Ltd.
However, the SDS does not always c	pased on several references and the present state of our knowledge. Hover all information about the product, handle the product carefully. Ty usage, in case of particular handlings, conduct

appropriate safety measurements. The information herein is only provision of information , and it does

not represent a guarantee the properties of the product